

ΦΙΛΤΡΑ ΡΕΥΜΑΤΟΣ & ΣΤΑΘΕΡΟΠΟΙΗΤΕΣ HOME THEATER - AUDIOPHILE - Hi-END



FURMAN
PURIFY YOUR POWER

Home Theater - Hi Fi

AC-210 A E

COMPACT LINEAR FILTERING AC POWER CONDITIONER, 10A



SMP (Series Multi-Stage Protection Plus)

EVS (Extreme Voltage Shutdown)

LiFT (Linear Filtering Technology)

Input: 10 A

Output: **2 x 10 A RMS**

Series Multi-Stage Protection provides the highest level of protection available

Linear Filtering Technology significantly reduces AC line noise

Extreme Voltage Shutdown protects equipment from dangerous overvoltage conditions

Zero ground contamination circuitry assures delivery of pure AC

Compact chassis design allows for discrete, unobtrusive placement

Included mounting brackets for easy installation

Dimensions (W x D x H): 127 x 216 x 45 mm, Weight: 1.5 kg

€ 240,00

Home Theater - Audiophile

Elite-10E i

LINEAR FILTERING AC POWER CONDITIONER, 10A



SMP (Series Multi-Stage Protection Plus)

EVS (Extreme Voltage Shutdown)

LiFT (Linear Filtering Technology)

Input: 10 A

Output: **8 x 10 A RMS**

Linear Filtering Technology (LiFT) for stunning audio / video clarity

Series Multi-Stage Protection provides maximum AC surge suppression

Extreme Voltage Shutdown (EVS) guards against prolonged overvoltage conditions

Retractable LED lamps illuminate a cabinet or rack full of equipment

Zero ground contamination circuitry protects critical digital components

Ultrasonic bi-filtering isolates digital and video circuits from analog components

Laboratory precision grade voltmeter displays incoming voltage

4 pairs of HD-ready cable / satellite isolated TVSS protected F-connectors

Dimensions (W x D x H): 432 x 375 x 55 mm, Weight: 5.5 kg

€ 820,00

Home Theater - Audiophile - Hi End

Elite-16 PF E i

ULTRA-LINEAR FILTERING AC POWER CONDITIONER, 16A



SMP (Series Multi-Stage Protection Plus)

EVS (Extreme Voltage Shutdown)

LiFT (Linear Filtering Technology)

PF (Power Factor Technology)

Input: 16 A

Output: **12 x 13-16 A RMS**

Power Factor Technology provides over 80 Amps peak charge surplus current for power-starved amplifiers

Ultra-Linear Filtering Technology for unequaled audio and video clarity

Series Multi-Stage Protection provides maximum AC surge suppression

Extreme Voltage Shutdown (EVS) guards against prolonged overvoltage conditions.

Zero ground contamination circuitry protects critical digital components

Ultrasonic bi-filtering isolates digital/video circuits, analog components, and

high-current components from one another

Retractable LED lamps illuminate a cabinet or rack full of equipment

4 pairs of HD-ready cable/satellite isolated TVSS protected F-connectors

16A capacity

Dimensions (W x D x H): 432mm x 375 x 102 mm, Weight: 8.5 kg

€ 1.290,00

Home Theater - Audiophile - Hi End

SRP-16E i
STABLE POWER AC VOLTAGE REGULATOR, 16A


SMP (Series Multi-Stage Protection Plus)

EVS (Extreme Voltage Shutdown)

LiFT (Linear Filtering Technology)

SPR (Stable Power Regulation)

Input: 16 A

Output: 1 x 16 A RMS, 11 x 10-15 A RMS

Provides an ultra-stable 230 VAC supply from low or high voltage sources

Linear Filtering Technology (LiFT) for unequalled audio/video clarity

Series Multi-Stage Protection provides maximum AC surge suppression

Extreme Voltage Shutdown (EVS) guards against prolonged overvoltage conditions

Zero ground contamination circuitry protects critical digital components

Ultrasonic bi-filtering isolates digital/video circuits, analog components, and

high-current components from one another

Cool running, noise free technology allows placement in critical listening environments

Laboratory precision grade voltmeter displays incoming voltage

4 pairs of HD-ready cable/satellite isolated TVSS protected F-connectors

16A RMS capacity

Dimensions (W x D x H): 432mm x 413 x 152 mm, Weight: 16 kg

€ 2.950,00

IT-Reference 16E i
DISCRETE SYMMETRICALLY BALANCED AC POWER CONDITIONER, 16A


SMP (Series Multi-Stage Protection Plus)

EVS (Extreme Voltage Shutdown)

LiFT (Linear Filtering Technology)

PF (Power Factor Technology)

DSBP (Discrete Symmetrically Balanced Power)

Input: 16 A

Output: 1 x 16 A RMS Power Factor Outlet (over 80 amps pk. charge), 3 x 10 A RMS Power

Factor Outlet (over 80 amps pk. charge), 8 x 16 A symmetrical balanced

Discrete Symmetrically Balanced Power with Dual Screen Technology cancels hum-

inducing noise from audio and video

Five discrete power banks eliminate inter-component interference and noise

Power Factor technology provides over 80A surplus current for power-starved amplifiers

Linear Filtering Technology for unequalled audio / video clarity

Virtually maintenance-free AC surge suppression

Extreme Voltage Shutdown (EVS) guards against prolonged overvoltage conditions

Zero ground contamination circuitry protects critical components

4 pairs of HD-ready cable / satellite isolated TVSS protected F-connectors

16A capacity

Dimensions (W x D x H): 432 x 413 x 152 mm, Weight: 40 kg

€ 4.480,00



AC-210 A E

ΤΥΠΟΣ	ΤΕΧΝΙΚΑ ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ	ΤΙΜΗ
-------	------------------------	------

Adaptor Cords

AC-10A



Αντάπτορας ρεύματος AC.
Αρσενικό βύσμα IEC-10A Schurter 4735 σε Schuko θηλυκό ή σε πολύπριζο 3 ή 4 θέσεων.
Μήκος 10cm έως 50cm.

€ 40,00

AC-16A



Αντάπτορας ρεύματος AC.
Αρσενικό βύσμα IEC-16A Schurter 4735 σε Schuko θηλυκό ή σε πολύπριζο 3 ή 4 θέσεων.
Μήκος 10cm έως 50cm.

€ 40,00

AC Cords Accessories

Schurter 4735



Αρσενικό βύσμα IEC, βαρέως τύπου, **Schurter 4735 (Made in Germany)**
Μέγιστη διατομή καλωδίου σύνδεσης 3 x 3,5
Για σύνδεση συσκευών με ισχύ 10 A / 250 VAC/ 50 Hz

€ 10,00

Noise Sniffer



Συσκευή ελέγχου θορύβου δικτύου 220V πριν και μετά τον καθαρισμό της παροχής ρεύματος

€ 300,00

*Οι τιμές του τιμοκαταλόγου συμπεριλαμβάνουν ΦΠΑ 24%.