

regga

*Designed and
Handmade in UK!*



Planar 1



NEW

Plug and Play
 μ AC 24V μ μ PCB μ

Pulley μ μ

(new patent)
 33 1/3 rpm, 45 rpm
 23mm

RB110 μ (new patent)
 (Moving Magnet), μ Carbon
 plexiglass

3 μ μ

μ On/Off μ

μ : Black Gloss, White Gloss
 (W x D x H): 450.0 mm x 385.0 mm x 115.0 mm
 : 5.5 kg
 (optional): μ μ Performance Pack

€ 380,00

Queen



Limited Edition

Plug and Play
 μ
 33 1/3 rpm, 45 rpm

RB101
 (Moving Magnet), μ Carbon
 felt mat 100% μ
 plexiglass

μ μ : 'Queen crest'
 (W x D x H): 445.0 mm x 365.0 mm x 100.0 mm
 : 4 kg

€ 530,00

RP1 Performance Union Flag



Limited Edition

Plug and Play
 μ
 33 1/3 rpm, 45 rpm

RB101
 (Moving Magnet), μ Bias 2
 felt mat 100% μ
 plexiglass

μ μ : μ
 (W x D x H): 445.0 mm x 365.0 mm x 100.0 mm
 : 4 kg

€ 580,00

- AudioPhile's Series

Planar 2



Plug and Play
 μ AC 24V μ μ PCB μ
 Pulley μ μ
 μ (new patent) 11mm
 33 1/3 rpm, 45 rpm
 μ float glass 'Optiwhite' 10mm
 RB220 μ (new patent)
 (Moving Magnet), μ Carbon
 plexiglass
 3 μ μ
 μ On/Off
 μ μ : Black Gloss, White Gloss, Red Gloss
 (W x D x H): 450.0 mm x 360.0 mm x 117.0 mm
 : 6.5 kg
 (optional): μ μ Performance Pack

€ 580,00

Planar 3



μ AC 24V μ μ Double Brace μ μ
 μ μ PCB μ μ
 Pulley μ μ
 μ (new patent) 11mm
 33 1/3 rpm, 45 rpm
 μ float glass 'Optiwhite' 12mm
 RB330 μ (new patent)
 plexiglass
 3 μ μ
 μ On/Off
 μ μ : Black Gloss, White Gloss, Red Gloss
 (W x D x H): 450.0 mm x 360.0 mm x 117.0 mm
 : 7 kg
 (optional): μ μ μ Belt upgrade
 TP PSU μ

€ 880,00

- AudioPhile's Series

RP10



TONEAudio



The AudioBeat



High-End,
 μ - μ Rega,
 μ μ μ -
 μ μ μ μ Double Brace
 μ 24V μ μ
 High-End TT-PSU
 μ μ μ μ
 33 1/3 rpm, 45 rpm
 μ μ μ μ
 RB2000
 μ plexiglass
 μ μ : Black Gloss
 (W x D x H): 445.0 mm x 365.0 mm x 100.0 mm
 : 7 kg

€ 4.450,00

RB202



μ 9" μμ
 μ μ μ μ μ μ
 μ anti-skating μ

€ 260,00

RB303



μ 9" μμ
 μμ μ μ μ μ μ
 μ μ μ μ μ μ
 μ anti-skating μ
 μ μ

€ 450,00

RB808



μ 9" μμ
 μμ μ μ μ μ μ μ
 μ μ μ μ μ μ
 μ anti-skating μ
 μ μ

€ 880,00

RB2000



μ 9" μμ
 μ μ μ μ μ μ μ μ
 μ μ μ μ μ μ μ μ
 μ μ μ μ μ μ
 μ anti-skating μ
 μ μ μ High-End
 μ μ

€ 1.900,00

Cartridges

Carbon



: Dual Magnet ()
 Cantilever: Carbon
 : 2.5mV
 : 2-3 gr
 : 5 gr

€ 45,00

Carbon

€ 25,00

Bias 2



: Dual Magnet ()
 :
 Cantilever: Carbon
 Stylus: μ
 : 6.8 - 7.2mV
 : 1.5-1.75 gr
 : 6,5 gr

 μ

€ 110,00

Elys 2



: Dual Magnet ()
 :
 Cantilever: Carbon
 Stylus: μ
 : 6.8 - 7.2mV
 : 1.5-1.75 gr
 : 6,5 gr

 μ


€ 190,00

Exact



: Dual Magnet ()
 :
 Cantilever: Carbon
 Stylus: μ μ
 : 0 dB
 : 6.8 - 7.2mV
 : 1.5-1.75 gr
 : 6,5 gr

 μ
 μ

€ 380,00

Ania



: Moving Coil (C)
 μ : PPS Fortron
 : μ
 :
 Cantilever: Aluminium
 Stylus: Diamond tipped elliptical
 : 0.35 mV
 μ : -29dB
 : 20 μ V
 : 1.75 - 2.00g
 : 10
 μ : 100
 : 6 gr



€ 720,00

Cartridges


APHETA 2



: Moving Coil (C)
 μ : $\mu\mu$ μ μ μ
 : μ
 :
 Cantilever: Aluminium
 Stylus: Vital profile nude diamond
 : 0.35 mV
 μ : -29dB
 : 20 μ V
 : 1.75 - 2.00g
 : 10
 μ : 100
 : 6 gr

€ 1.450,00

APHELION



: Moving Coil (C)
 μ : $\mu\mu$ μ μ μ
 : μ 0.018mm
 :
 Cantilever: Boron rod
 Stylus: Vital profile nude diamond
 : 0.35 mV
 μ : -29dB
 : 10 μ V
 : 1.75 - 2.00g
 : 10
 μ : 100
 : 6 gr

€ 3.950,00

Phono Stages

Fono Mini A2D



MM phono stage
 Phono to Line, Phono stage μ Moving magnet
 Phono to USB μ PC
 :
 1 x Stereo RCA (2 x Single Ended)
 :
 1 x Stereo RCA (2 x Single Ended)
 1 x USB
 μ μ Gain RCA Single Ended
 A : 47 k
 : 100pF
 : 5mV for 500mV output
 Maximum input level: 70mV @ 1kHz
 : 100 Ohms
 S/N-R: 78dBA ref 5mV
 : 7.5mV
 (WxDxH): 102mm x 125mm x 30mm
 : 1 kg

€ 140,00

Phono Stages

Fono MM



MM phono stage
 Phono to Line, Phono stage μ Moving magnet
 Rega PS-1
 :
 1 x Stereo RCA (2 x Single Ended)
 :
 1 x Stereo RCA (2 x Single Ended)
 A : 47 k
 : 100pF
 : 1.7mV for 200mV output
 Maximum input level: 60mV @ 1kHz
 : 200 Ohms
 Gain: 41.4dB @ 1KHz
 : 15Hz (-3dB) to 100KHz (-0.2dB)
 RIAA (50K load): +/-0.2dB 100Hz to 100kHz
 (WxDxH): 178mm x 140mm x 45mm
 : 1,2 kg

€ 330,00

Fono MC



MC Phono stage
 Phono to Line, Phono stage μ Moving Coil
 Rega PS1
 :
 1 x Stereo RCA (2 x Single Ended) C
 :
 1 x Stereo RCA (2 x Single Ended)
 μ μ Gain @ 1 kHz RCA Single Ended 63,5 – 69,5 dB
 μ 2 , μ DIP switches
 μ μ 70 400 DIP switches
 μ 4 , μ DIP switches
 μ μ μ 1000 4300 pF
 μ 2 , μ DIP switches
 Maximum output level: 200 mV
 Output impedance 200 Ω single-ended
 (0 dB gain): 0.67mV for 200mV output
 (-6 dB gain): 1.33mV for 200mV output
 (W x D x H): 180mm x 155mm x 50mm
 : 1.5 kg



€ 390,00

Phono Stages

Aria



Phono stage
 Phono to Line, Phono stage μ Moving Magnet Moving Coil
 MM MC
 :
 1 x Stereo RCA (2 x Single Ended)
 1 x Stereo RCA (2 x Single Ended) C
 :
 1 x Stereo RCA (2 x Single Ended)
 μ μ Gain @ 1 kHz RCA Single Ended 63,5 – 69,3 dB
 μ 2 , μ DIP switches
 μ μ 70 400
 μ 4 , μ DIP switches
 μ μ μ 1000 4200 pF
 μ 4 , μ DIP switches
 Maximum output level: 11 V rms (+ 25 dB V)
 Output impedance 100 Ω single-ended
 (0 dB gain): 0.7mV for 200mV output
 (-6 dB gain): 1.33mV for 200mV output
 (W x D x H): 220mm x 320mm x 80mm
 : 3,5 kg

€ 1.200,00

EAR



High Input ()
 Low Input (line)
 μ :
 775mW @ 25 μ 175mV
 685mW @ 32 μ 185mV
 530mW @ 50 μ 205mV
 320mW @ 100 μ 225mV
 60mW @ 600 μ 235mV
 : 0.175
 : 20 k
 Gain: 28dB
 : 12Hz – 37kHz (-0.5dB)
 THD < 0.003%
 S/N: -100dB (22Hz – 22kHz) μ μ
 mute
 μ μ volume control
 (W x D x H): 178mm x 155mm x 45mm
 : 1,5 kg

€ 250,00

CD Players / DAC

Apollo-R



CD Player
 CD
 CD-R, CD-RW, MP3-CD, CD, WMA-CD
 D/A converter, New Wolfson WM8742, 24 Bit / 192KHz
 :
 1 x Stereo RCA (2 x Single Ended)
 1 x Coax S/PDIF (RCA)
 1 x Optical S/PDIF (TOSLink)
 μ
 (W x D x H): 220mm x 320mm x 90mm
 : 5 kg

€ 890,00

Saturn-R



CD transport μ μ μ DAC
 CD
 CD-R, CD-RW, MP3-CD, CD, WMA-CD
 D/A converter, New Wolfson WM8742, 24 Bit / 192KHz
 :
 2 x Coax S/PDIF (RCA)
 2 x Optical S/PDIF (TOSLink)
 1 x USB 24 Bit / 192KHz,
 :
 1 x Stereo RCA (2 x Single Ended)
 1 x Coax S/PDIF (RCA) CD
 1 x Coax S/PDIF (RCA) DAC
 1 x Optical S/PDIF (TOSLink) CD
 1 x Optical S/PDIF (TOSLink) DAC
 μ Rega Polaris
 (W x D x H): 432mm x 325mm x 82mm
 : 10 kg

€ 2.350,00

Isis Reference



Reference CD Player
 CD
 μ μ μ μ CNC
 CD-R, CD-RW, MP3-CD, CD, WMA-CD
 D/A converter, Burr Brown PCM 1794 DAC
 μ μ μ CD Player
 10 μ μ μ 50 VA
 μ μ μ μ μ μ μ Servo transport
 :
 1 x USB 24 Bit / 192KHz,
 :
 1 x Stereo XLR (2 x Balanced)
 1 x Stereo RCA (2 x Single Ended)
 1 x Optical S/PDIF (TOSLink)
 μ Rega μ CNC
 (W x D x H): 434mm x 350mm x 112mm
 : 25 kg

€ 9.150,00

CD Players / DAC

Isis Reference Valve



μ Reference CD Player
 CD
 μ μ μ μ CNC
 CD-R, CD-RW, MP3-CD, CD, WMA-CD
 D/A converter, New Wolfson WM8741, 24 Bit / 192KHz
 μ 5814A (ECC82/12AU7) military standard
 μ ECC88 (6DJ8/6922) military standard
 μ μ μ μ μ μ μ μ μ Servo transport
 :
 1 x USB 16bit 44.1/48kHz THD+Noise < 0.06%
 :
 1 x Stereo XLR (2 x Balanced) μ μ 2,4V @ 600 Ohm
 1 x Stereo RCA (2 x Single Ended) μ μ 2,4V @ 600 Ohm
 1 x Optical S/PDIF (TOSLink)
 30Hz - 20kHz +/-0.5dB
 μ Rega μ CNC
 (W x D x H): 434mm x 350mm x 112mm
 : 25 kg

€ 10.450,00

DAC-R



Digital to Analog Converter
 DAC: Wolfson WM8742, 24 bit/ 192KHz
 S/N R: -105 dB (100 Hz – 22 kHz)
 THD: 0.006% @ 1kHz
 16-24 bit
 E :
 2 x SPDIF Coax (RCA) - 192KHz/24 bit isolated @ 75 Ohm
 2 x SPDIF TosLink
 1 x USB 24 Bit / 192KHz,
 Audio :
 1 x Stereo RCA (2 x Single Ended)
 1 x SPDIF Coax (RCA) isolated @ 75 Ohm
 1 x SPDIF TosLink
 μ : Single Ended 2,175 Vrms @ 100K
 μ
 (W x D x H): 215 x 320 x 80 mm
 : 5 kg

€ 1.050,00



Brio 2017



μ phono stage MC High Output
 I 2 x 50 WRMS 8 μ 2 x 73 WRMS 4 ,
 μ 1.7
 Darlington
 A
 phono: 2.1mV @ 47k 220 pF
 line: 210mV @ 47k



1 x Stereo RCA (2 Single Ended) μ MC High Output
 4 x Stereo RCA (8 Single Ended)



1 x Stereo RCA (2 x Single Ended) Record Output
 1 x Headphone output



μ
 (W x D x H): 216mm x 345mm x 78mm
 : 8.1 kg

€ 980,00

Elex-R



μ phono stage MC High Output
 I 2 x 72 WRMS 8 μ 2 x 113 WRMS 4 ,
 μ 1
 Darlington
 A
 phono: 1.7mV @ 47k 220 pF
 line: 164mV @ 40k
 μ : 625mV
 : 600



1 x Stereo RCA (2 Single Ended) μ MC High Output
 4 x Stereo RCA (8 Single Ended)



1 x Stereo RCA (2 x Single Ended) Preamp Output
 1 x Stereo RCA (2 x Single Ended) Record Output



μ
 (W x D x H): 430mm x 320mm x 80mm
 : 11 kg



€ 1.380,00

Elicit-R



I 2 x 105 WRMS 8 , 2 x 162 WRMS 4 , phono stage MC High Output
 High End volume control μ 1 1024
 μ Darlington
 μ A
 phono: 2mV @ 47k 220 pF
 line: 196mV @ 10k
 μ : 760mV
 : 600
 μ phono: 15Hz – 85kHz (-3dB)
 μ line: 10Hz – 85kHz (-3dB)
 Power Amplifier: 760mV
 Power Amplifier: 50k
 :
 1 x Stereo RCA (2 Single Ended) μ MC High Output
 4 x Stereo RCA (8 Single Ended)
 1 x Stereo RCA (2 Single Ended) Record Input
 1 x Stereo RCA (2 Single Ended) Power Amp Input
 :
 1 x Stereo RCA (2 x Single Ended) Preamp Output
 1 x Stereo RCA (2 x Single Ended) Record Output
 1 x Stereo RCA (2 x Single Ended) Record Output Link
 μ
 (W x D x H): 432mm x 325mm x 82mm
 : 15 kg

€ 2.350,00

Osiris



Reference μ , DUAL MONO
 I 2 x 162 WRMS 8 , 2 x 250 WRMS 4 ,
 μ 0.5
 High End volume control μ μ 1024
 μ Sanken-Darlington
 μ A
 μ μ 400VA
 High End μ K-Power 80.000 μ F (Nichicon Audio Grade)
 μ DC
 / μ μ μ Cascoded
 XLR: 250mV @ 10k
 Line: 220mV @ 22k
 μ line: 10Hz – 85kHz (-3dB)
 THD + Noise < 0.05%
 :
 1 x Stereo XLR (2 x Balanced) μ MC High Output
 4 x Stereo RCA (8 x Single Ended)
 1 x Stereo RCA (2 x Single Ended) Record Input
 1 x Stereo RCA (2 x Single Ended) Power Amp Input
 :
 1 x Stereo RCA (2 x Single Ended) Record Output
 μ μ Osiris
 (W x D x H): 434mm x 350mm x 122mm
 : 28 kg

€ 9.150,00

Reference Package

Reference Package 1



ISIS Reference CD Player

μ



OSIRIS Reference

μ

, DUAL MONO

€ 16.300,00

Reference Package 2



ISIS Valve Reference CD Player

μ



OSIRIS Reference

μ

, DUAL MONO

€ 17.600,00

